

M Performance

Kanalv 9
792 33 Mora
Sweden
(46) 2 501 1321

DYNomite Test Run:[Fusion 600 -06 Mj 370 Pj 40](#)

Date: [13/12/2005](#)

Correction Method:[Standard](#)

RPM (RPM)	Sec (Seconds)	Hp (Hp)	Torque (ft-lb)	FuelMass (lb/hr)	Bensin (liters/h)	BSFC (lb/Hp-hr)	Air Temp (Degree C)	Baro (in Hg)	Humid (%)
4000	0.105	24.49	31.88	35.08	22.12	1.43	10.0	29.88	60
4100	0.428	25.62	32.91	35.76	22.55	1.39	10.0	29.89	60
4200	0.707	26.67	33.40	36.32	22.90	1.36	10.0	29.91	60
4300	0.800	28.18	34.56	36.91	23.28	1.31	10.0	29.91	60
5100	1.240	49.19	50.61	46.71	29.45	0.95	10.0	29.91	60
5200	1.440	50.10	50.63	46.28	29.19	0.92	10.0	29.91	60
5300	2.295	50.74	50.36	46.38	29.25	0.91	10.0	29.91	60
5400	2.637	52.60	51.18	45.55	28.72	0.86	10.0	29.91	60
5500	2.767	55.64	53.03	47.15	29.73	0.85	10.0	29.91	60
5600	3.102	58.88	55.08	49.75	31.37	0.84	10.0	29.91	60
5700	3.492	60.04	55.33	50.57	31.89	0.84	10.0	29.91	60
5800	4.015	63.03	57.00	54.28	34.23	0.86	10.0	29.91	60
5900	4.530	65.69	58.45	55.87	35.23	0.85	10.0	29.91	60
6000	5.017	66.38	58.37	56.01	35.32	0.84	10.0	29.91	60
6100	5.486	68.25	58.71	57.61	36.33	0.84	10.0	29.91	60
6200	5.812	69.98	59.40	58.17	36.68	0.83	10.0	29.91	60
6300	6.632	72.72	60.50	59.86	37.75	0.82	10.0	29.91	60
6400	7.007	73.84	60.57	61.13	38.55	0.83	10.0	29.91	60
6500	7.436	76.15	61.54	62.52	39.42	0.82	10.0	29.91	60
6600	7.905	77.82	61.92	64.30	40.54	0.82	10.0	29.91	60
6700	8.245	80.37	62.99	64.87	40.90	0.81	10.0	29.91	60
6800	9.822	83.00	64.08	65.97	41.60	0.79	10.0	29.91	60
6900	10.49	89.03	67.79	66.45	41.90	0.75	10.0	29.91	60
7000	10.57	93.90	70.46	66.92	42.20	0.71	10.0	29.91	60
7100	10.66	97.24	71.87	66.94	42.21	0.69	10.0	29.91	60
7200	12.62	93.13	68.01	68.57	43.24	0.74	10.0	29.91	60
7300	12.74	99.04	71.26	69.32	43.71	0.70	10.0	29.91	60
7400	12.93	102.4	72.69	70.23	44.29	0.68	10.0	29.91	60
7500	13.84	104.4	72.96	73.17	46.14	0.70	10.0	29.91	60
7600	15.39	108.1	74.61	75.50	47.61	0.70	10.0	29.91	61
7700	16.60	105.0	71.65	77.71	49.00	0.74	10.0	29.91	61
7800	16.72	108.0	72.72	78.15	49.28	0.72	10.0	29.91	61
7900	17.75	113.8	75.64	79.49	50.13	0.70	10.0	29.91	61
8000	18.66	114.3	75.26	81.92	51.66	0.72	10.0	29.91	62
8100	19.86	113.4	73.45	82.72	52.16	0.73	10.0	29.91	63
8200	20.70	113.5	72.83	81.57	51.44	0.72	10.0	29.91	63